

	Type	Hits	Search Text	DBs
1	BRS	475847	((light emit\$6 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	442	((light emit\$6 diod\$4) or "LED") carrier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	2	S2 and (flex\$6 with (print\$4 circuit board))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	32	S2 and (print\$4 circuit board)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	33	S2 and ((print\$4 circuit board) or "PCB")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	3	S2 and ((print\$4 circuit board) or "PCB") and (heat sink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	0	S2 and ((circuit board) or "PCB") and (heat sink) and (heat stak\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	3	S2 and ((circuit board) or "PCB") and (heat sink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	3	S2 and (circuit board) and (heat sink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	2148	S1 and (circuit board) and (heat sink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	671	(S1 with (circuit board)) and (heat sink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	IS&R	7	((("6386720") or ("6597348") or ("5184114") or ("5375043") or ("4868719") or ("6305813") or ("6522066"))).PN.	USPAT
13	BRS	475847	((light emit\$6 diod\$4) or "LED")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	5942	((light emit\$6 diod\$4) or "LED") with carrier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	82	((light emit\$6 diod\$4) or "LED") with carrier) and (heat sink) and (circuit board)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	217	((light emit\$6 diod\$4) or "LED") with carrier) and (heat sink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	95	S16 and "257"/\$.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	1825	((light emit\$6 diod\$4) or "LED") and carrier and (heat sink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	517	S18 and "257"/\$.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	32	S18 and "313"/\$.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
21	BRS	141	S18 and "361"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	63	S18 and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	667	S20 or S21 or S22 or S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	452	S24 and circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	246	S24 and (circuit board)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	206	S25 not S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	BRS	6692	((light emit\$6 diod\$4) or "LED") and (heat sink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	2980	((light emit\$6 diod\$4) or "LED") and (heat sink) and reflect\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	334	S29 and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	BRS	12	(thermal\$5 conduct\$4 polymer) and reflector and (thermal conductivity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	295	(thermal\$5 conduct\$4 polymer) and (thermal conductivity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	58	(thermal\$5 conduct\$4 polymer) and (thermal conductivity) and (polycarbonate or polyphenylene)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	0	(thermal\$5 conduct\$4 polymer) and (thermal conductivity with 10W/("m.multidot.K")) and (polycarbonate or polyphenylene)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	7	(thermal\$5 conduct\$4 polymer) and (thermal conductivity with W/("m.multidot.K")) and (polycarbonate or polyphenylene)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	0	(thermal\$5 conduct\$4 polymer) and (thermal conductivity with atleast 10W/("m.multidot.K"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	3338	reflector and (thermal conductivity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	868	reflector and (thermal conductivity) and polymer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	0	(thermal conductivity) (greater than 10W ("m.multidot.K"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	0	(thermal conductivity) (greater than 10W )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
40	BRS	0	(thermal conductivity) with (greater than 10W )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	371	reflector and (thermal conductivity) and (polycarbonate or polyphenylene)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	315	S39 and @ad < "20030601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	7	reflector and ((thermal conductivity) with w/mK) and (polycarbonate or polyphenylene)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	0	reflector and ((thermal conductivity) with 10w/mK) and (polycarbonate or polyphenylene)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	0	reflector and ((thermal conductivity) with 12w/mK) and (polycarbonate or polyphenylene)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	0	reflector and ((thermal conductivity) with 20w/mK) and (polycarbonate or polyphenylene)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	0	reflector and ((thermal conductivity) with 50w/mK) and (polycarbonate or polyphenylene)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	BRS	0	reflector and ((thermal conductivity) with 10w/mK)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	BRS	54	reflector and ((thermal conductivity) with w/mK)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	18	reflector and ((thermal conductivity) with w/mK) and polymer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	1	((thermal conductivity) with 10w/mK) and polymer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	0	reflector and ((thermal conductivity) and 12w/mK) and (polycarbonate or polyphenylene)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	0	reflector and ((thermal conductivity) and 10w/mK) and (polycarbonate or polyphenylene)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	BRS	12	reflector and ((thermal conductivity) and w/mK) and (polycarbonate or polyphenylene)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	BRS	27	reflector and ((thermal conductivity) and w/mK) and polymer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	BRS	9	((thermal conductivity) and w/mK) with (thermal\$4 conduct\$5 polymer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	BRS	0	((thermal conductivity) and 10w/mK) with (thermal\$4 conduct\$5 polymer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
58	BRS	0	((thermal conductivity) and 50w/mK) with (thermal\$4 conduct\$5 polymer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	BRS	0	((thermal conductivity) and 100w/mK) with (thermal\$4 conduct\$5 polymer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	BRS	0	((thermal conductivity) and 10w/mK) with polycarbonate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	BRS	0	((thermal conductivity) and 10w/mK) and (polycarbonate or polyphenylene)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	BRS	0	((thermal conduct\$6) and 10w/mK) and (polycarbonate or polyphenylene)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	BRS	2	((thermal conduct\$6) and 10w/mK) and polymer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	BRS	0	((thermal conduct\$6) and 10w/mK) with polymer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	BRS	0	((thermal conduct\$6) and 10w/mK) same polymer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	BRS	0	((thermal conductivity) 10w/mK)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	BRS	1	((thermal conduct\$6) 10w/mK)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	BRS	0	((thermal conductivity) 10w/mK)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	BRS	4	((thermal conductivity) with 10w/mK)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	BRS	2049	((thermal conductivity) with W/mK)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	BRS	343	S71 and reflect\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	BRS	4	((thermal conductivity) with 10W/mK)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	BRS	124	S71 and reflect\$4 and polymer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	BRS	0	((thermal conductivity) 10w/mK) and reflector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	BRS	0	((thermal conductivity) with 10w/mK) and reflector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	BRS	0	10w/mK and reflector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
77	BRS	2	w/mK with reflector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
78	BRS	78	w/mK and reflector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
79	BRS	3	w/mK and (reflector with polymer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
80	BRS	29	w/mK and reflector and polymer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
81	BRS	1787182	polymer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
82	BRS	12284	light reflector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
83	BRS	162537	(light reflector) or (reflector body) or reflector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
84	BRS	0	S84 and 10w/mK	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
85	BRS	78	S84 and W/mK	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
86	IS&R	1	("6773154").PN.	USPAT
87	BRS	1327	313/113.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
88	BRS	476074	(light emit\$6 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
89	BRS	107	S88 and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
90	BRS	22	S88 and S89 and polymer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
91	BRS	205	264/19.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
92	BRS	0	264/19.ccls. and (thermal\$5 conduct\$5 polymer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
93	BRS	489054	(light emit\$6 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
94	BRS	460	((light emit\$6 diod\$4) or "LED") carrier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
95	BRS	1929	((light emit\$6 diod\$4) or "LED") and carrier and (heat sink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
96	BRS	3844	362/252,555,547,240,294,373,227.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
97	BRS	2520	361/676,702,707,709,720,805,806.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
98	BRS	2102	313/498-500,512,111.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
99	BRS	8426	S97 or S98 or S99	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
100	BRS	54	S100 and S96	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
101	BRS	30777	((light emit\$6 diod\$4) or "LED") and carrier and (circuit or (circuit board))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
102	BRS	6381	((light emit\$6 diod\$4) or "LED") and carrier and (circuit board)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
103	BRS	80	S100 and S103	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
104	BRS	56	S104 not S101	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
105	BRS	3052	362/800,545,249.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
106	BRS	30777	((light emit\$6 diod\$4) or "LED") and carrier and (circuit or (circuit board))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
107	BRS	6381	((light emit\$6 diod\$4) or "LED") and carrier and (circuit board)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
108	BRS	99	S106 and (S107 or S108)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB